


65

locus is the soil, e.g., soil in which agricultural crops have been or will be planted, the composition of the active compound may be applied to and optionally incorporated into the soil. For most applications the effective amount may be as low as, e.g. about 10 to 500 g/ha, preferably about 100 to 250 g/ha.

5 In a further embodiment of the present invention, several of the compounds disclosed above have themselves been found to be novel and useful intermediates in the preparation of the 1,4-disubstituted benzene insecticides disclosed and claimed herein.

Included among these intermediates are those compounds having the
10 formula **XII**:



wherein:

A is $-(CH_2)_n-U-R^2$


15 wherein

n is 0 or 1;

U is $-C(O)-$, $-CH_2-$, oxygen, or $-NR^5$, where R^5 is selected from the group consisting of hydrogen, hydroxy, alkyl, sulfonylalkyl, carbonylamino, and carbonylalkyl;

20 R^2 is selected from hydrogen, halo, hydroxy, and $1-R^4$, wherein:

R^4 is



25 where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido,

carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl,
alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl,
alkoxycarbonyl, haloalkoxycarbonyl, phenyl, aryl, and aryloxy,
where the phenyl and aryl moieties may be optionally substituted
with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

R is $-T-(CH_2)_m-R^1$, where

T is selected from the group consisting of oxygen, nitrogen, and sulfur;

m is 0, 1, 2, 3, or 4;

R^1 is hydrogen, halo, alkyl, or $-N(R^8)(R^9)$; where R^8 and R^9 are

independently selected from the group consisting of hydrogen, alkyl, acetyl,
alkoxycarbonyl, alkoxyalkyl, aminoalkyl, carbonylamino, and $-(CH_2)_p-$
 $N(R^{16})(R^{17})$, where

p is 1 or 2;


R^{16} and R^{17} are independently selected from the group

consisting of hydrogen, alkyl, alkoxyalkyl, and aminoalkyl.

Some preferred intermediates of formula XII are those in which:

n is 1; U is oxygen; R^2 is $1-R^4$, wherein:

R^4 is



R^4

where X, Y, and Z are independently selected from the group
consisting of hydrogen, halogen, cyano, nitro, amino, azido,
carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl,
alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl,
alkoxycarbonyl, haloalkoxycarbonyl, phenyl, aryl, and aryloxy,
where the phenyl and aryl moieties may be optionally substituted
with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

T is oxygen or sulfur;


m is 2; and

R¹ is halo;

Additional preferred intermediates of formula **XII** are those in which n is 1;

5 U is -CH₂-; R² is 1-R⁴, wherein:

R⁴ is



10 where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, phenyl, aryl, and aryloxy, where the phenyl and aryl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

15

T is oxygen;


m is 0; and

R¹ is hydrogen or alkyl.

20 Preferred intermediates of formula **XII** also include those compounds in which n is 0; U is -C(O); R² is hydrogen; T is oxygen; m is 2; and R¹ is -N(R⁸)(R⁹), where R⁸ and R⁹ are alkyl as well as those in which n is 0; U is -CH₂-; R² is halo or hydroxy; T is oxygen; m is 2; and R¹ is -N(R⁸)(R⁹); where R⁸ and R⁹ are alkyl.

In addition to the compounds set forth above, compounds of formula **UU**,
 25 described generally in Schema 3 above and in greater detail below, have also been found to be novel and useful intermediates in the preparation of the 1,4-disubstituted benzene insecticides disclosed and claimed herein:

68




UU

where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxycarbonyl, haloalkoxycarbonyl, phenyl, aryl, and aryloxy, where the phenyl and aryl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy; T is selected from the group consisting of oxygen, nitrogen, and sulfur; and R¹⁸ is alkyl.

10

While the invention has been described in detail and with reference to specific embodiments thereof, it will be apparent to one skilled in the art that various changes and modifications can be made therein without departing from the spirit and scope thereof.



Table 1
Insecticidal Optionally Substituted Benzenes



Formula I (FI)

-T-(CH₂)_m-R¹
Formula II (FII)

-(CH₂)_n-U-R²
Formula III (FIII)



Formula I

10

A and D are H; R is FII; T is O; m is 2; R¹ is N(C₂H₅)₂

Cmpnd No.	B	n	U	R ²	X	Y	Z
1	2-FIII	1	N	1-R ⁴	4-Cl	H	H
2	3-FIII	1	N	1-R ⁴	4-Cl	H	H


Formula I

B and D are H; R is FII; T is O; m is 2; R¹ is N(C₂H₅)₂


Cmpnd No.

A

3



4



5






Table 1 (continued)

Formula IB and D are H; R is FII; T is O; m is 2; R¹ is N(C₂H₅)₂Cmpnd No.A

6




7

Formula IA is FIII; B and D are H; R is FII; T is O; m is 2; R¹ is N(C₂H₅)₂; n is 1Cmpnd No.UR²


8

O




9

O




10

O




11

O




12

O



13

N



14

N




Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; T is O; m is 2; R¹ is N(C₂H₅)₂; n is 1






















<u>Cmpnd No.</u>	<u>U</u>	<u>R²</u>
15	N	
16	N	
17	N	
18	N	
19	N	
20	N	
21	O	
22	O	
23	O	
24	O	
25	O	

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; T is O; m is 2; R¹ is N(C₂H₅)₂; n is 1

<u>Cmpnd No.</u>	<u>U</u>	<u>R²</u>
26	O	
27	O	
28	O	
29	O	
30	O	
31	O	
32	O	
33	O	
34	O	
35	O	

73
Table 1 (continued)

Formula I

A is FIII; B and D are H; R is FII; T is O; m is 2; R¹ is N(C₂H₅)₂; n is 1

<u>Cmpnd No.</u>	<u>U</u>	<u>R²</u>
36	O	
37	O	
38	N	
38	O	




Formula I

A is FIII; B and D are H; n is 1; U is N; R² is 1-R⁴; X is 4-Cl; Y and Z are H


<u>Cmpnd No.</u>	<u>R</u>
39	-N(C ₂ H ₅) ₂
40	
41	
42	

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; T is O; n is 0; R² is 1-R⁴; Y and Z are H

<u>Cmpnd No.</u>	<u>m</u>	<u>R¹</u>	<u>U</u>	<u>X</u>
43	0	CH ₃	C ₂ H ₄	4-Br
44	0	CH ₃		4-Cl
45	1	1-C ₆ H ₅	-OC ₂ H ₄ O-	4-Cl
46	1		-CH=N-	4-Cl
47	2	N(C ₂ H ₅) ₂	-OC ₂ H ₄ O-	4-Cl
48	2	N(C ₂ H ₅) ₂		4-Cl
49	2	N(C ₂ H ₅) ₂	-NHC ₂ H ₄ -	4-Cl
50	2	N(C ₂ H ₅) ₂	OCH ₂	4-Cl
51		N(C ₂ H ₅) ₂	O	4-Cl
52		N(C ₂ H ₅) ₂	CH ₂	4-Cl
53		N(C ₂ H ₅) ₂	SO ₂	4-Cl
54		N(C ₂ H ₅) ₂	CO	4-Cl
55		N(C ₂ H ₅) ₂	CF ₂	4-Cl
56		N(C ₂ H ₅) ₂	-CH(OH)	4-Cl
57		N(C ₂ H ₅) ₂	-CH ₂ S-	4-Cl
58		N(C ₂ H ₅) ₂	CH ₂ SO	4-Cl
59		N(C ₂ H ₅) ₂	CH ₂ SO ₂	4-Cl
60	2	-OC ₂ H ₅	-CH ₂ NH-	4-Cl

Formula I5 A is FIII; B and D are H; R is FII; T is O; m is 1; n is 1; R² is 1-R⁴; X is 4-Cl; Y and Z are H

<u>Cmpnd No.</u>	<u>U</u>	<u>R¹</u>
61	O	-CH ₂ =C(Cl) ₂
62	N	-C(O)O
63	N	

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;

<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
64	1	O	N	-CH ₃	4-Cl	H	H
65	1	O	N	-CH ₂ F	4-Cl	H	H

75

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;










<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
66	1	O	O		4-Cl	H	H
67	1	O	O		4-Cl	H	H
Hydrochloride Salt							
68	1	O	O		4-Cl	H	H
69	1	O	O		4-Cl	H	H
70	1	O	O		4-Cl	H	H
71	2	S	N	-N(C ₂ H ₅) ₂	4-Cl	H	H
72	2	O	CH ₂	-N(C ₂ H ₅) ₂	4-Br	H	H
73	2	O	CH ₂	-N(C ₂ H ₅) ₂	4-Cl	H	H
74	2	O	N	-N(CH ₃) ₂	H	H	H
75	2	O	N	-N(C ₂ H ₅) ₂	H	H	H
76	2	O	N		H	H	H
77	2	O	N	-N(CH ₃) ₂	4-Br	H	H
78	2	O	N	-N(C ₂ H ₅) ₂	4-Br	H	H
79	2	O	N	-N(isopropyl) ₂	4-Br	H	H
80	2	O	N		4-Br	H	H
81	2	O	N		4-Br	H	H
82	2	O	N	-NH(C ₂ H ₅)	4-Cl	H	H
83	2	O	N	-N(CH ₃) ₂	4-Cl	H	H
84	2	O	N	-N(C ₂ H ₅) ₂	4-Cl	H	H
85	2	O	N	-N(C ₂ H ₅) ₂	4-Cl	H	H
Chloride Salt							
86	2	O	N	-N(C ₂ H ₅) ₂	8-Cl	H	H
87	2	O	N	-N(isopropyl) ₂	4-Cl	H	H
88	2	O	N	-N(C ₄ H ₉) ₂	4-Cl	H	H
89	2	O	N		4-Cl	H	H

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;














<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
90	2	O	N		4-Cl	H	H
91	2	O	N		4-Cl	H	H
92	2	O	N		4-Cl	H	H
93	2	O	N		4-Cl	H	H
94	3	O	N	-N(CH ₃) ₂	4-Cl	H	H
95	3	O	N	-N(C ₄ H ₉) ₂	4-Cl	H	H
96	3	O	N		4-Cl	H	H
97	4	O	N	-N(C ₄ H ₉) ₂	4-Cl	H	H
98	2	O	O		4-Cl	H	H
99	2	O	O		4-Cl	H	H
100	2	O	O		4-Cl	H	H
101	2	O	O		4-Cl	H	H
102	2	O	O		4-Cl	H	H
103	2	O	O		4-Cl	H	H
104	2	O	O		4-Cl	H	H
105	2	O	O		4-Cl	H	H

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;













<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
106	2	O	O		4-Cl	H	H
107	2	O	O		4-Cl	6-Cl	H
108	2	O	O		4-Cl	H	H
109	2	O	O		4-Cl	H	H
110	2	O	O		4-Cl	H	H
111	2	O	O		4-Cl	H	H
112	2	O	O		4-Cl	H	H
113	2	O	O		4-Cl	H	H
114	2	O	O		4-Cl	H	H
115	2	O	O		4-Cl	H	H
116	2	O	O		4-Cl	H	H
117	2	O	O		4-Cl	H	H

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;



























<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
118	2	O	O		4-Cl	H	H
119	2	O	O		4-Cl	H	H
120	2	O	O		4-Cl	H	H
121	2	O	O		4-Cl	H	H
122	2	O	O		4-Cl	H	H
123	2	O	O		4-Cl	H	H
124	2	O	O		4-Cl	H	H
125	2	O	O		4-Cl	H	H
126	2	O	O		4-Cl	H	H
127	2	O	O		4-Cl	H	H
128	2	O	O		4-Cl	H	H
129	2	O	O		4-Cl	H	H
130	2	O	O		4-Cl	H	H

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;

<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
131	2	O	O		4-Cl	H	H
132	2	O	O		4-Cl	H	H
133	2	O	O		4-Cl	H	H
134	2	O	O		4-Cl	H	H
135	2	O	O		4-Cl	H	H
136	2	O	O		4-Cl	H	H
137	2	O	O		4-Cl	H	H
138	2	O	O		4-Cl	H	H
139	2	O	O		4-Cl	H	H
140	2	O	O		4-Cl	H	H
141	2	O	O		4-Cl	H	H
142	2	O	O		5-Cl	6-Cl	H
143	2	O	O		4-Cl	H	H

80
Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;













<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
144	2	O	O		4-Cl	H	H
145	2	O	O		4-Cl	H	H
146	2	O	O		4-Cl	H	H
147	2	O	O		4-Cl	H	H
148	2	O	O		4-Cl	H	H
149	2	O	O		4-Cl	H	H
150	2	O	O		4-Cl	H	H
151	2	O	O		4-Cl	H	H
152	2	O	O		4-Cl	H	H
153	2	O	O		4-Cl	H	H
154	2	O	O		4-Cl	H	H
155	2	O	O		4-Cl	H	H

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;














<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
156	2	O	O		4-Cl	H	H
157	2	O	O		4-Cl	H	H
158	2	O	O		4-Cl	H	H
159	2	O	O		4-Cl	H	H
160	2	O	O		4-Cl	H	H
161	2	O	O		4-Cl	H	H
162	2	O	O		4-Cl	H	H
163	2	O	O		4-Cl	H	H
164	2	O	O		4-Cl	H	H
165	2	O	O		4-Cl	H	H
166	2	O	O		4-Cl	H	H
167	2	O	O		4-Cl	H	H
168	2	O	O		4-Cl	H	H

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;












<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
169	2	O	O		4-Cl	H	H
170	2	O	O		4-Cl	H	H
171	2	O	O		4-Cl	H	H
172	2	O	O		4-Cl	H	H
173	2	O	O		4-Cl	H	H
174	2	O	O		4-Cl	H	H
175	2	O	O		4-Cl	H	H
176	2	O	O		4-Cl	H	H
177	2	O	O	-OC ₄ H ₉	4-Cl	H	H
178	2	O	O	-N(C ₂ H ₅)(OCH ₃)	4-Cl	H	H
179	2	O	O	-N(C ₂ H ₅) ₂ (OCH ₃)	4-Cl	H	H
180	2	O	O	-NHC ₆ H ₅	4-Cl	H	H
181	2	O	O		4-Cl	6-Cl	H
182	2	O	O		4-Cl	6-Cl	H
Hydrochloride Salt							
183	2	O	O		5-Cl	6-Cl	H
184	2	O	O	-NH(C ₂ H ₅)	4-Cl	H	H
185	2	O	O	-NH(C ₂ H ₅)	4-Cl	H	H
Hydrochloride Salt							

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;

<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
186	2	O	O	-N(C ₂ H ₅) ₂	2-Cl	H	H
187	2	O	O	-N(C ₂ H ₅) ₂	3-Cl	H	H
188	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	H	H
189	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	H	H
Chloride Salt							
190	2	O	O	-N(C ₂ H ₅)(CH ₃) ₂	4-Cl	H	H
Iodide Salt							
191	2	O	O	-N(CH ₂ CN(C ₂ H ₅))	4-Cl	H	H
192	2	O	O	-N(C ₂ H ₅)(CH ₃)	4-Cl	H	H
193	2	O	O	-N(C ₂ H ₅)(CH ₃)	4-Cl	H	H
Hydrochloride Salt							
194	2	O	O	-NHtBu	4-Cl	H	H
195	2	O	O	-N(C ₃ H ₆)(OC ₂ H ₅)	4-Cl	H	H
196	2	O	O	-N(CH ₂ CH=CH ₂) ₂	4-Cl	H	H
197	2	O	O	-NCH ₂ C(OCH ₃) ₂	4-Cl	H	H
198	2	O	O	-NC ₃ H ₆ OCH ₃	4-Cl	H	H
199	2	O	O	-NC ₄ H ₉	4-Cl	H	H
200	2	O	O	-N(CH ₃)C ₂ H ₄ CN	4-Cl	H	H
201	2	O	O	-N(C ₂ H ₅)C ₄ H ₉	4-Cl	H	H
202	2	O	O	-N(C ₄ H ₉) ₂	4-Cl	H	H
203	2	O	O	-N(isopropyl) ₂	4-Cl	H	H
204	2	O	O	-N(C ₆ H ₁₃) ₂	4-Cl	H	H
205	2	O	O	-N(CH ₃)C ₁₇ H ₃₅	4-Cl	H	H
206	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	H	H
207	2	O	O	-N(C ₂ H ₅) ₂	6-Cl	H	H
208	2	O	O	-N(C ₂ H ₅) ₂	7-Cl	H	H
209	2	O	O	-N(C ₂ H ₅) ₂	8-Cl	H	H
210	2	O	O	-N(C ₂ H ₅) ₂	2-Cl	4-Cl	H
211	2	O	O	-N(C ₂ H ₅) ₂	2-Cl	5-Cl	H
212	2	O	O	-N(C ₂ H ₅) ₂	2-Cl	6-Cl	H
213	2	O	O	-N(C ₂ H ₅) ₂	2-Cl	8-Cl	H
214	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	5-Cl	6-Cl
215	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	5-Cl	H
216	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	6-Cl	H
217	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	6-Cl	H
Chloride Salt							
218	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	6-Cl	H
Sulfonic Salt							
219	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	6-Cl	H
Trifluoroacetic Salt							
220	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	6-Cl	H
Methylbenzenesulfonic Salt							
221	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	7-Cl	H

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;






<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
222	2	O	O	-N(C ₂ H ₅) ₂	4-Cl	8-Cl	H
223	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	6-Cl	H
224	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	6-Cl	H
Chloride salt							
225	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	6-Cl	H
Phosphoric salt							
226	2	O	O	-NHtBu	5-Cl	6-Cl	H
227	2	O	O	-N(C ₂ H ₅) ₂	6-Cl	8-Cl	H
228	2	O	O	-N(C ₂ H ₅) ₂	4-Br	H	H
229	2	O	O	-N(C ₂ H ₅) ₂	6-Br	H	H
230	2	O	O	-N(C ₂ H ₅) ₂	5-Br	H	H
231	2	O	O	-N(C ₂ H ₅) ₂	4-F	H	H
232	2	O	O	-N(C ₂ H ₅) ₂	4-CF ₃	H	H
233	2	O	O	-N(C ₂ H ₅) ₂	6-CF ₃	H	H
234	2	O	O	-N(C ₂ H ₅) ₂	4-N ₃	H	H
235	2	O	O	-N(C ₂ H ₅) ₂	4-OCH ₃	H	H
236	2	O	O	-N(C ₂ H ₅) ₂	4-OCH ₃	H	H
Chloride Salt							
237	2	O	O	-N(C ₂ H ₅) ₂	5-OCH ₃	H	H
238	2	O	O	-N(C ₂ H ₅) ₂	4-NO ₂	H	H
239	2	O	O	-N(C ₂ H ₅) ₂	4-CN	H	H
240	2	O	O	-N(C ₂ H ₅) ₂	2-CH ₃	H	H
241	2	O	O	-N(C ₂ H ₅) ₂	6-CH ₃	H	H
242	2	O	O	-N(C ₂ H ₅) ₂		H	H
243	2	O	O	-N(C ₂ H ₅) ₂		H	H
244	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	6-CF ₃	H
245	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	6-Br	H
246	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	6-I	H
247	2	O	O	-N(C ₂ H ₅) ₂	5-I	6-Cl	H
248	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	6-OCF ₃	H
249	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	6-CN	H
250	2	O	O	-N(C ₂ H ₅) ₂	5-Cl	6-NO ₂	H
251	2	O	O	-N(C ₂ H ₅) ₂	5-CF ₃	6-Cl	H
252	2	O	O	-N(C ₂ H ₅) ₂	5-OCH ₃	6-Cl	H
253	2	O	O	-N(C ₂ H ₅) ₂	4-CF ₃	6-Cl	H
254	2	O	O		5-Cl	6-Cl	H


Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; n is 1; R² is 1-R⁴;

<u>Cmpnd No.</u>	<u>m</u>	<u>T</u>	<u>U</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
255	2	O	CH ₂		5-Cl	6-Cl	H
256	2	O	O		5-Cl	6-Cl	H
257	2	O	S	-N(C ₂ H ₅) ₂	5-Cl	6-Cl	H
258	2	O	SO ₂	-N(C ₂ H ₅) ₂	5-Cl	6-Cl	H
259	3	O	O	-N(C ₂ H ₅) ₂	4-Cl	H	H
260	4	O	O	-N(C ₂ H ₅) ₂	4-Cl	H	H

Please note that Compound No. 261 is a mixture of Compound 212 and (2-(4-((2,4,6-trichloronaphthyloxy)methyl)phenoxy)ethyl)diethylamine.

5 Formula IA is FIII; R is FII; T is O; m is 2; R¹ is -N(C₂H₅)₂; R² is 1-R⁴; X is 4-Cl; Y and Z are H

<u>Cmpnd No.</u>	<u>B</u>	<u>D</u>	<u>n</u>	<u>U</u>
262	2-F	H	1	N
263	2-OCH ₃	H	1	N
264	3-OCH ₃	H	1	N
265	3-OCH ₃	5-OCH ₃	1	N
266	5-(OC ₂ H ₄ N(C ₂ H ₅) ₂)	H	1	N
267	2-Cl	H	1	N
268	3-Cl	H	1	N
269	2-Cl	3-Cl	1	N
270	2-Cl	6-Cl	1	N
271	3-Cl	5-Cl	1	N
272	3-Cl	5-Cl	0	

10 Formula IA and D are H; R is FII; T is O; m is 2; R¹ is N(C₂H₅)₂






<u>Cmpnd No.</u>	<u>B</u>	<u>n</u>	<u>U</u>	<u>R²</u>	<u>I</u>	<u>L</u>	<u>W</u>
273	5-FIII	1	N	1-R ³	4-Cl	H	H
274	6-FIII	1	N	1-R ³	4-Cl	H	H

Formula I

15 A is FIII; B and D are H; R is FII; T is O; m is 2; n is 1; U is O

86

Table 1 (continued)

<u>Cmpnd No.</u>	<u>R¹</u>	<u>R²</u>
275		
276		
277	$-N(C_2H_5)_2$	

Formula IA is FIII; B and D are H; R is FII; m is 2; T is O; R¹ is $-N(C_2H_5)_2$; n is 1; R² is 1-R³;

<u>mpnd No.</u>	<u>U</u>	<u>I</u>	<u>L</u>	<u>W</u>
278	N	H	H	H
279	N	2-OCF ₃	H	H
280	N	4-OCF ₃	H	H
281	N	2-OC ₆ H ₅	H	H
282	N	3-OC ₆ H ₅	H	H
283	N	2-Cl	H	H
284	N	4-Cl	H	H
285	N	2-Cl	3-Cl	H
286	N	2-Cl	3-Cl	4-Cl
287	N	2-Cl	4-Cl	H
288	N	2-Cl	4-Cl	5-Cl
289	N	3-Cl	4-Cl	H
290	N	3-Cl	5-Cl	H
291	N	2-C ₆ H ₅	H	H
292	N	2-C ₆ H ₅	4-Cl	H
293	N	3-C ₆ H ₅	4-Cl	H
294	N	2-F	3-F	H
295	N	2-F	3-F	4-F
296	N	2-F	4-F	H
297	N	2-F	4-F	5-F
298	N	2-CH ₃	3-CH ₃	H
299	N	2-CH ₃	4-CH ₃	H
300	N	2-OCH ₃	4-OCH ₃	H
301	N	2-OCH ₃	5-OCH ₃	H
302	N	3-OCH ₃	5-OCH ₃	H
303	O	3-OCH ₃	5-OCH ₃	H
304	O	H	H	H
305	O	2-Cl	H	H
306	O	4-Cl	H	H
307	O	2-Cl	3-Cl	H
308	O	2-Cl	3-Cl	4-Cl
309	O	2-Cl	4-Cl	H

Table 1 (continued)

Formula IA is FIII; B and D are H; R is FII; m is 2; T is O; R¹ is -N(C₂H₅)₂; n is 1; R² is 1-R³;



<u>mpnd No.</u>	<u>U</u>	<u>J</u>	<u>L</u>	<u>W</u>
310	O	2-Cl	4-Cl	5-Cl
311	O	2-Cl	5-Cl	H
312	O	2-Cl	6-Cl	H
313	O	3-Cl	4-Cl	H
314	O	3-Cl	5-Cl	H
315	O	2-Cl	4-Br	H
316	O	2-Cl	6-Br	H
317	O	2-Cl	5-CH ₃	H
318	O	2-C(CH ₃) ₃	H	H
319	O	3-C(CH ₃) ₃	H	H
320	O	4-C(CH ₃) ₃	H	H
321	O	2-isopropyl	H	H
322	O	4-C ₃ H ₇	H	H
323	O	4-OCH ₃	H	H
324	O	4-OCF ₃	H	H
325	O	2-CN	H	H
326	O	5-CN	H	H
327	O	2-NC(O)CH ₃	H	H
328	O	2-C(O)OC ₂ H ₅	H	H
329	O	4-C(O)CH ₃	H	H
330	O	2-C(O)CH ₃	3-OCH ₃	H
331	O	2-C(O)CH ₃	4-OCH ₃	H
332	O	2-CH ₃	4-Cl	H
333	O	3-CH ₃	4-Cl	H
334	O	2-NO ₂	4-Cl	H
335	O		4-Cl	H
		2- 		
336	O		4-Cl	5-CH ₃
		2- 		
337	O	2-CH ₃	4-CH ₃	H
338	O	2-CH ₃	3-CH ₃	5-CH ₃
339	O	2-CH ₃	3-CH ₃	6-CH ₃
340	O	2-OCH ₃	4-CH ₃	H
341	O	2-Br	4-Br	H
342	O	2-Br	6-Br	H
343	O	2-Br	4-CH ₃	H
344	O	2-Br	4-CH ₃	6-Br
345	O	2-F	3-F	H
346	O	2-F	5-F	H

Table 1 (continued)








Formula IA is FIII; B and D are H; R is FII; m is 2; T is O; R¹ is -N(C₂H₅)₂; n is 1; R² is 1-R³;

<u>mpnd No.</u>	<u>U</u>	<u>J</u>	<u>L</u>	<u>W</u>
347	O	2-F	6-F	H
348	O	3-F	5-F	H
349	O	4-F	6-F	H
350	O	3-F	4-F	6-F
351	O	3-CF ₃	H	H
352	O	2-CF ₃	5-CF ₃	H

Formula IA is FIII; B and D are H; n is 1; U is O; R² is 1-R⁴

<u>Cmpnd</u> <u>No.</u>	<u>R</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
353		4-Cl	H	H
354		4-Cl	6-Cl	H
355		5-Cl	6-Cl	H
356		5-Cl	6-Cl	H
357		5-Cl	6-Br	H
358		5-Cl	6-Cl	H
359		5-Cl	6-Cl	H
360		5-Cl	6-Cl	H
361		5-Cl	6-Cl	H
362		5-Cl	6-Cl	H
363		4-Cl	6-Cl	H
364		5-Cl	6-Cl	H

89
Table 1 (continued)

<u>Cmpnd</u> <u>No.</u>	<u>R</u>	<u>X</u>	<u>Y</u>	<u>Z</u>
365		5-Cl	6-Cl	H
366		5-Cl	6-Cl	H
367		5-Cl	6-Cl	H
368		5-Cl	6-Cl	H
369		5-Cl	6-Cl	H
370		5-Cl	6-Cl	H
371		5-Cl	6-Cl	H

Formula I

A is FIII; B and D are H; R is FII; T is O; n is 1; R² is 1-R⁴; Z is H








<u>Cmpnd No.</u>	<u>m</u>	<u>n</u>	<u>R¹</u>	<u>X</u>	<u>Y</u>	<u>U</u>
372	0	1		5-Cl	6-Cl	O
373	0	1		5-Cl	6-Cl	O
374	0	1		4-Cl	H	O
375	0	1		4-Cl	H	O
376	1	1		5-Cl	6-Cl	O
377	1	1		5-Cl	6-Cl	O
378	1	1		5-Cl	6-Cl	O
379	2	0	-N(C ₂ H ₅) ₂	4-Cl	H	-CH ₂ OCH ₂

Table 2

Characterizing Data

<u>Cmpd No</u>	<u>Empirical Formula</u>	<u>Melting Point/Physical State</u>
1	$C_{23}H_{27}ClN_2O$	OIL
2	$C_{23}H_{27}ClN_2O$	OIL
3	$C_{20}H_{33}N_3O_3$	OIL
4	$C_{23}H_{29}ClN_2O$	OIL
5	$C_{24}H_{30}ClN_3O_2$	OIL
6	$C_{24}H_{29}ClN_2O$	OIL
7	$C_{23}H_{25}ClN_2O_2$	SOLID
8	$C_{24}H_{28}ClNO_2$	SOLID
9	$C_{22}H_{26}N_2O_2$	SOLID
10	$C_{23}H_{25}F_3N_2O_2$	SOLID
11	$C_{22}H_{25}ClN_2O_2$	OIL
12	$C_{22}H_{25}FN_2O_2$	OIL
13	$C_{23}H_{28}N_2O$	OIL
14	$C_{22}H_{27}N_3O$	LIQUID
15	$C_{22}H_{27}N_3O$	LIQUID
16	$C_{22}H_{27}N_3O$	SOLID
17	$C_{23}H_{31}ClN_2O_2$	OIL
18	$C_{18}H_{24}ClN_3O$	LIQUID
19	$C_{24}H_{32}ClN_3O_2$	93-95 °C
20	$C_{23}H_{31}ClN_2O$	OIL
21	$C_{25}H_{27}NO_3$	SOLID
22	$C_{21}H_{25}N_3O_2$	OIL
23	$C_{21}H_{24}ClN_3O_2$	OIL
24	$C_{13}H_8F_5NO_2S$	
39	$C_{21}H_{23}ClN_2$	OIL
40	$C_{25}H_{30}ClN_3O$	OIL
41	$C_{28}H_{36}ClN_3O_2$	FOAM
43	$C_{19}H_{17}BrO$	OIL
44	$C_{18}H_{15}ClN_2O_2$	220 °C >
45	$C_{25}H_{21}ClO_3$	106-107 °C
46	$C_{23}H_{23}ClN_2O_2$	OIL
47	$C_{24}H_{28}ClNO_3$	OIL
48	$C_{23}H_{26}ClN_3O_2$	210 °C >
49	$C_{25}H_{31}ClN_2O$	OIL
60	$C_{21}H_{22}ClNO_2$	OIL
61	$C_{20}H_{15}Cl_3O_2$	SOLID
62	$C_{19}H_{16}ClNO_3$	90-92 °C
63	$C_{23}H_{25}ClN_2O_2$	123-125 °C

Table 2 (continued)

<u>Cmpd No</u>	<u>Empirical Formula</u>	<u>Melting Point/Physical State</u>
64	C ₁₉ H ₁₈ CINO	92-93 °C
65	C ₁₉ H ₁₇ ClFNO	SOLID
66	C ₂₀ H ₁₇ CIN ₄ O ₂	122-124 °C
67	C ₁₉ H ₁₆ CIN ₄ O ₂ .Cl	SOLID
68	C ₂₀ H ₁₇ CIN ₄ O ₂	159-161 °C
69	C ₂₁ H ₁₉ CIN ₄ O ₂	104-106 °C
70	C ₂₁ H ₁₉ CIN ₄ O ₂	SOLID
71	C ₂₃ H ₂₇ CIN ₂ S	OIL
72	C ₂₄ H ₂₈ BrNO	OIL
73	C ₂₄ H ₂₈ CINO	OIL
74	C ₂₁ H ₂₄ N ₂ O	LIQUID
75	C ₂₃ H ₂₈ N ₂ O	OIL
76	C ₂₃ H ₂₆ N ₂ O ₂	SOLID
77	C ₂₁ H ₂₃ BrN ₂ O	LIQUID
78	C ₂₃ H ₂₇ BrN ₂ O	SOLID
79	C ₂₅ H ₃₁ BrN ₂ O	SOLID
80	C ₂₃ H ₂₅ BrN ₂ O ₂	SOLID
81	C ₂₃ H ₂₅ BrN ₂ O	SOLID
82	C ₂₁ H ₂₃ CIN ₂ O	184-187 °C
83	C ₂₁ H ₂₃ CIN ₂ O	LIQUID
84	C ₂₃ H ₂₇ CIN ₂ O	OIL
85	C ₂₃ H ₂₇ CIN ₂ O.ClH	
86	C ₂₃ H ₂₇ CIN ₂ O	PASTE
87	C ₂₅ H ₃₁ CIN ₂ O	SOLID
88	C ₂₇ H ₃₅ CIN ₂ O	LIQUID
89	C ₂₃ H ₂₅ CIN ₂ O ₂	SOLID
90	C ₂₃ H ₂₅ CIN ₂ O	SOLID
91	C ₂₂ H ₂₃ CIN ₂ O ₃	102-104 °C
92	C ₂₄ H ₂₇ CIN ₂ O ₃	OIL
93	C ₂₄ H ₂₇ CIN ₂ O	SOLID
94	C ₂₂ H ₂₅ CIN ₂ O	SOLID
95	C ₂₈ H ₃₇ CIN ₂ O	LIQUID
96	C ₂₄ H ₂₇ CIN ₂ O ₂	LIQUID
97	C ₂₉ H ₃₉ CIN ₂ O	LIQUID
98	C ₂₅ H ₂₇ ClO ₂	LIQUID
99	C ₂₅ H ₂₈ CINO ₂	SOLID
100	C ₂₅ H ₂₆ CINO ₂	SOLID
101	C ₂₄ H ₂₆ CINO ₂	89-90 °C
102	C ₂₅ H ₂₈ CINO ₂	OIL
103	C ₂₅ H ₂₈ CINO ₂	OIL
104	C ₂₅ H ₂₈ CINO ₂	OIL
105	C ₂₆ H ₃₀ CINO ₂	60-65 °C
106	C ₂₆ H ₃₀ CINO ₂	OIL

Table 2 (continued)

<u>Cmpd No</u>	<u>Empirical Formula</u>	<u>Melting Point/Physical State</u>
107	$C_{26}H_{29}Cl_2NO_2$	OIL
108	$C_{27}H_{30}ClNO_4$	85-87 °C
109	$C_{30}H_{30}ClNO_2$	89-91 °C
110	$C_{31}H_{30}ClNO_3$	112-115 °C
111	$C_{31}H_{32}ClNO_2$	88-91 °C
112	$C_{25}H_{28}ClNO_2$	SOLID
113	$C_{23}H_{25}ClN_2O_2$	OIL
114	$C_{26}H_{29}ClN_2O_4$	OIL
115	$C_{29}H_{29}ClN_2O_2$	OIL
116	$C_{30}H_{29}ClN_2O_3$	OIL
117	$C_{30}H_{31}ClN_2O_2$	71-73 °C
118	$C_{23}H_{24}ClNO_2S$	OIL
119	$C_{25}H_{28}ClNO_3$	OIL
120	$C_{25}H_{28}ClNO_3$	OIL
121	$C_{28}H_{28}ClNO_2$	LIQUID
122	$C_{26}H_{32}ClNO_2$	88-90 °C
123	$C_{26}H_{32}ClNO_2$	OIL
124	$C_{26}H_{30}ClNO_2$	OIL
125	$C_{26}H_{30}ClNO_2$	OIL
126	$C_{24}H_{26}ClNO_2$	SEMI SOLID
127	$C_{29}H_{35}ClN_2O_2$	91-92 °C
128	$C_{28}H_{26}ClNO_2$	SYRUP
129	$C_{29}H_{31}ClN_2O_2$	SYRUP
130	$C_{27}H_{23}ClF_3NO_3$	SYRUP
131	$C_{23}H_{26}ClNO_2$	58-59 °C
132	$C_{27}H_{32}ClNO_2$	OIL
133	$C_{25}H_{23}ClN_2O_2$	OIL
134	$C_{28}H_{28}ClNO_4$	96-98 °C
135	$C_{28}H_{34}ClNO_2$	OIL
136	$C_{27}H_{26}ClNO_3$	95-96 °C
137	$C_{26}H_{23}Cl_2NO_2$	87-88 °C
138	$C_{30}H_{37}ClN_2O_2$	OIL
139	$C_{27}H_{26}ClNO_2$	OIL
140	$C_{28}H_{34}ClNO_2$	OIL
141	$C_{23}H_{24}ClNO_2$	75-77 °C
142	$C_{23}H_{23}Cl_2NO_2$	152-154 °C
143	$C_{27}H_{32}ClNO_2$	OIL
144	$C_{22}H_{22}ClNO_2S$	83-86 °C
145	$C_{28}H_{32}ClNO_2$	OIL
146	$C_{26}H_{30}ClNO_2$	OIL
147	$C_{26}H_{30}ClNO_2$	OIL
148	$C_{26}H_{30}ClNO_2$	OIL
149	$C_{30}H_{27}ClN_2O_2$	131-135 °C

Table 2 (continued)

<u>Cmpd No</u>	<u>Empirical Formula</u>	<u>Melting Point/Physical State</u>
150	C ₂₃ H ₂₂ ClNO ₂	OIL
151	C ₂₉ H ₂₇ ClN ₂ O ₂	OIL
152	C ₃₀ H ₂₉ ClN ₂ O ₃	133-136 °C
153	C ₃₀ H ₃₁ ClN ₂ O ₃	OIL
154	C ₂₄ H ₂₄ ClNO ₂	90-91 °C
155	C ₃₀ H ₂₈ ClF ₃ N ₂ O ₂	80-82 °C
156	C ₂₉ H ₂₈ ClFN ₂ O ₂	120-121 °C
157	C ₃₁ H ₃₁ ClN ₂ O ₃	OIL
158	C ₃₆ H ₃₄ Cl ₂ N ₂ O ₂	OIL
159	C ₂₇ H ₃₀ ClNO ₄	OIL
160	C ₂₉ H ₃₅ ClN ₂ O ₃	OIL
161	C ₃₀ H ₃₀ ClNO ₃	123-125 °C
162	C ₂₈ H ₂₈ ClN ₃ O ₂	OIL
163	C ₂₇ H ₂₇ ClN ₂ O ₂	OIL
164	C ₂₉ H ₂₈ ClN ₃ O ₄	164-166 °C
165	C ₂₆ H ₃₁ ClN ₂ O ₂	83-89 °C
166	C ₂₅ H ₃₁ ClN ₂ O ₂	OIL
167	C ₂₉ H ₃₅ ClN ₂ O ₂	135-140 °C
168	C ₂₈ H ₃₂ ClNO ₂	OIL
169	C ₂₇ H ₂₇ ClN ₂ O ₂	OIL
170	C ₂₈ H ₂₈ ClNO ₂	OIL
181	C ₂₃ H ₂₅ Cl ₂ NO ₃	OIL
183	C ₂₃ H ₂₅ Cl ₂ NO ₃	81-87 °C
184	C ₂₁ H ₂₂ ClNO ₂	LIQUID
185	C ₂₁ H ₂₃ ClNO ₂ ·Cl	201-203 °C
186	C ₂₃ H ₂₆ ClNO ₂	LIQUID
187	C ₂₃ H ₂₆ ClNO ₂	OIL
188	C ₂₃ H ₂₆ ClNO ₂	OIL
189	C ₂₃ H ₂₆ ClNO ₂ ·ClH	SOLID
190	C ₂₃ H ₂₇ ClNO ₂ ·I	LIQUID
191	C ₂₃ H ₂₃ ClN ₂ O ₂	LIQUID
192	C ₂₂ H ₂₄ ClNO ₂	SOLID
193	C ₂₂ H ₂₅ ClNO ₂ ·Cl	SOLID
194	C ₂₃ H ₂₆ ClNO ₂	84-85 °C
195	C ₂₄ H ₂₈ ClNO ₃	SYRUP
196	C ₂₅ H ₂₆ ClNO ₂	OIL
197	C ₂₃ H ₂₆ ClNO ₄	OIL
198	C ₂₃ H ₂₆ ClNO ₃	SEMI-SOLID
199	C ₂₃ H ₂₆ ClNO ₂	138-145 °C
200	C ₂₃ H ₂₃ ClN ₂ O ₂	OIL
201	C ₂₅ H ₃₀ ClNO ₂	OIL
202	C ₂₇ H ₃₄ ClNO ₂	OIL
203	C ₂₅ H ₃₀ ClNO ₂	OIL

Table 2 (continued)

<u>Cmpd No</u>	<u>Empirical Formula</u>	<u>Melting Point/Physical State</u>
204	$C_{31}H_{42}ClNO_2$	OIL
205	$C_{38}H_{56}ClNO_2$	63-64 °C
206	$C_{23}H_{26}ClNO_2$	LIQUID
207	$C_{23}H_{26}ClNO_2$	LIQUID
208	$C_{23}H_{26}ClNO_2$	OIL
209	$C_{23}H_{26}ClNO_2$	LIQUID
210	$C_{23}H_{25}Cl_2NO_2$	OIL
211	$C_{23}H_{25}Cl_2NO_2$	OIL
213	$C_{23}H_{25}Cl_2NO_2$	LIQUID
214	$C_{23}H_{24}Cl_3NO_2$	SOLID
215	$C_{23}H_{25}Cl_2NO_2$	LIQUID
216	$C_{23}H_{25}Cl_2NO_2$	OIL
217	$C_{23}H_{25}Cl_2NO_2 \cdot ClH$	200 °C >
218	$C_{23}H_{25}Cl_2NO_2 \cdot CH_4O_3S$	SOLID
219	$C_{23}H_{25}Cl_2NO_2 \cdot C_2HF_3O_2$	SOLID
220	$C_{23}H_{25}Cl_2NO_2 \cdot C_7H_8O_3S$	SOLID
221	$C_{23}H_{25}Cl_2NO_2$	PASTE
222	$C_{23}H_{25}Cl_2NO_2$	PASTE
223	$C_{23}H_{25}Cl_2NO_2$	OIL
224	$C_{23}H_{26}Cl_2NO_2 \cdot Cl$	204-206 °C
225	$C_{23}H_{25}Cl_2NO_2 \cdot H_3O_4P$	SOLID
226	$C_{23}H_{25}Cl_2NO_2$	215-217 °C
227	$C_{23}H_{25}Cl_2NO_2$	OIL
228	$C_{23}H_{26}BrNO_2$	OIL
229	$C_{23}H_{26}BrNO_2$	SOLID
230	$C_{23}H_{26}BrNO_2$	SOLID
231	$C_{23}H_{26}FNO_2$	SOLID
232	$C_{24}H_{26}F_3NO_2$	OIL
233	$C_{24}H_{26}F_3NO_2$	COLORLESS OIL
234	$C_{23}H_{28}N_2O_2$	OIL
235	$C_{24}H_{29}NO_3$	OIL
236	$C_{24}H_{29}NO_3 \cdot ClH$	SOLID
237	$C_{24}H_{29}NO_3$	OIL
238	$C_{23}H_{26}N_2O_4$	OIL
239	$C_{24}H_{26}N_2O_2$	OIL
240	$C_{24}H_{29}NO_2$	OIL
241	$C_{24}H_{29}NO_2$	SOLID
242	$C_{29}H_{30}FNO_2$	67-71 °C
243	$C_{29}H_{30}ClNO_3$	OIL
259	$C_{24}H_{28}ClNO_2$	LIQUID
260	$C_{25}H_{30}ClNO_2$	LIQUID
261	$C_{23}H_{25}Cl_2NO_2 \cdot C_{23}H_{24}Cl_3NO_2$	LIQUID
262	$C_{23}H_{26}ClFN_2O$	LIQUID

Table 2 (continued)

<u>Cmpd No</u>	<u>Empirical Formula</u>	<u>Melting Point/Physical State</u>
263	C ₂₄ H ₂₉ ClN ₂ O ₂	LIQUID
264	C ₂₄ H ₂₉ ClN ₂ O ₂	SOLID
265	C ₂₅ H ₃₁ ClN ₂ O ₃	LIQUID
266	C ₂₉ H ₄₀ ClN ₃ O ₂	LIQUID
267	C ₂₃ H ₂₆ Cl ₂ N ₂ O	LIQUID
268	C ₂₃ H ₂₆ Cl ₂ N ₂ O	LIQUID
269	C ₂₃ H ₂₅ Cl ₃ N ₂ O	SOLID
270	C ₂₃ H ₂₅ Cl ₃ N ₂ O	SOLID
271	C ₂₃ H ₂₅ Cl ₃ N ₂ O	SOLID
272	C ₂₃ H ₂₃ Cl ₃ N ₂ O ₂	SOLID
273	C ₁₉ H ₂₅ ClN ₂ O	LIQUID
274	C ₁₉ H ₂₅ ClN ₂ O	LIQUID
275	C ₂₀ H ₂₅ ClN ₂ O ₂	OIL
276	C ₂₄ H ₃₁ ClN ₂ O ₄	OIL
277	C ₂₀ H ₂₆ ClNO ₂	OIL
278	C ₁₉ H ₂₆ N ₂ O	OIL
279	C ₂₀ H ₂₅ F ₃ N ₂ O ₂	OIL
280	C ₂₀ H ₂₅ F ₃ N ₂ O ₂	OIL
281	C ₂₅ H ₃₀ N ₂ O ₂	OIL
282	C ₂₅ H ₃₀ N ₂ O ₂	OIL
283	C ₁₉ H ₂₅ ClN ₂ O	OIL
284	C ₁₉ H ₂₅ ClN ₂ O	OIL
285	C ₁₉ H ₂₄ Cl ₂ N ₂ O	OIL
286	C ₁₉ H ₂₃ Cl ₃ N ₂ O	OIL
287	C ₁₉ H ₂₄ Cl ₂ N ₂ O	OIL
288	C ₁₉ H ₂₃ Cl ₃ N ₂ O	OIL
289	C ₁₉ H ₂₄ Cl ₂ N ₂ O	OIL
290	C ₁₉ H ₂₄ Cl ₂ N ₂ O	OIL
291	C ₂₅ H ₃₀ N ₂ O	LIQUID
292	C ₂₅ H ₂₉ ClN ₂ O	LIQUID
293	C ₂₅ H ₂₉ ClN ₂ O	LIQUID
294	C ₁₉ H ₂₄ F ₂ N ₂ O	OIL
295	C ₁₉ H ₂₃ F ₃ N ₂ O	OIL
296	C ₁₉ H ₂₄ F ₂ N ₂ O	OIL
297	C ₁₉ H ₂₃ F ₃ N ₂ O	OIL
298	C ₂₁ H ₃₀ N ₂ O	OIL
299	C ₂₁ H ₃₀ N ₂ O	OIL
300	C ₂₁ H ₃₀ N ₂ O ₃	OIL
301	C ₂₁ H ₃₀ N ₂ O ₃	OIL
302	C ₂₁ H ₃₀ N ₂ O ₃	OIL
303	C ₂₁ H ₂₉ NO ₄	LIQUID
304	C ₂₆ H ₃₁ NO ₃	SOLID
305	C ₁₉ H ₂₄ ClNO ₂	SOLID

Table 2 (continued)

<u>Cmpd No</u>	<u>Empirical Formula</u>	<u>Melting Point/Physical State</u>
306	$C_{19}H_{24}ClNO_2$	SOLID
307	$C_{19}H_{23}Cl_2NO_2$	LIQUID
308	$C_{19}H_{22}Cl_3NO_2$	SOLID
309	$C_{19}H_{23}Cl_2NO_2$	LIQUID
310	$C_{19}H_{22}Cl_3NO_2$	LIQUID
311	$C_{19}H_{23}Cl_2NO_2$	LIQUID
312	$C_{19}H_{23}Cl_2NO_2$	LIQUID
313	$C_{19}H_{23}Cl_2NO_2$	SOLID
314	$C_{19}H_{23}Cl_2NO_2$	SEMI-SOLID
315	$C_{19}H_{23}BrClNO_2$	SOLID
316	$C_{19}H_{23}BrClNO_2$	LIQUID
317	$C_{20}H_{26}ClNO_2$	LIQUID
318	$C_{23}H_{33}NO_2$	LIQUID
319	$C_{23}H_{33}NO_2$	SOLID
320	$C_{23}H_{33}NO_2$	LIQUID
321	$C_{22}H_{31}NO_2$	LIQUID
322	$C_{22}H_{31}NO_2$	SOLID
323	$C_{20}H_{27}NO_3$	SOLID
324	$C_{20}H_{24}F_3NO_3$	SOLID
325	$C_{20}H_{24}N_2O_2$	LIQUID
326	$C_{20}H_{24}N_2O_2$	LIQUID
327	$C_{21}H_{28}N_2O_3$	SOLID
328	$C_{22}H_{29}NO_4$	SOLID
329	$C_{21}H_{27}NO_3$	LIQUID
330	$C_{22}H_{29}NO_4$	LIQUID
331	$C_{22}H_{29}NO_4$	SOLID
332	$C_{20}H_{26}ClNO_2$	LIQUID
333	$C_{20}H_{26}ClNO_2$	SOLID
334	$C_{19}H_{23}ClN_2O_4$	LIQUID
335	$C_{22}H_{25}ClN_2O_3$	LIQUID
336	$C_{23}H_{27}ClN_2O_3$	LIQUID
337	$C_{21}H_{29}NO_2$	LIQUID
338	$C_{22}H_{31}NO_2$	SOLID
339	$C_{22}H_{31}NO_2$	SOLID
340	$C_{21}H_{29}NO_3$	LIQUID
341	$C_{19}H_{23}Br_2NO_2$	SOLID
342	$C_{19}H_{23}Br_2NO_2$	LIQUID
343	$C_{20}H_{26}BrNO_2$	LIQUID
344	$C_{20}H_{25}Br_2NO_2$	SOLID
345	$C_{19}H_{23}F_2NO_2$	SOLID
346	$C_{19}H_{23}F_2NO_2$	LIQUID
347	$C_{19}H_{23}F_2NO_2$	LIQUID
348	$C_{19}H_{23}F_2NO_2$	LIQUID

Table 2 (continued)

<u>Cmpd No</u>	<u>Empirical Formula</u>	<u>Melting Point/Physical State</u>
349	$C_{19}H_{23}F_2NO_2$	LIQUID
350	$C_{19}H_{22}F_3NO_2$	LIQUID
351	$C_{20}H_{24}F_3NO_2$	LIQUID
352	$C_{21}H_{23}F_6NO_2$	LIQUID
353	$C_{23}H_{24}ClN_2O$	SOLID
354	$C_{23}H_{24}Cl_2N_2O$	SOLID
355	$C_{23}H_{24}Cl_2N_2O$	SOLID
356	$C_{26}H_{28}Cl_2N_2O_3$	SOLID
357	$C_{23}H_{24}BrClN_2O$	150-151 °C
358	$C_{27}H_{30}Cl_2N_2O$	142-145 °C
359	$C_{26}H_{28}Cl_2N_2O$	131-133 °C
360	$C_{23}H_{22}Cl_2N_2O$	135-137 °C
361	$C_{25}H_{28}Cl_2N_2O$	SOLID
363	$C_{24}H_{26}Cl_2N_2O$	SOLID
364	$C_{25}H_{28}Cl_2N_2O$	SOLID
365	$C_{28}H_{25}Cl_3N_2O$	SOLID
366	$C_{21}H_{20}Cl_2N_2O$	SOLID
267	$C_{22}H_{22}Cl_2N_2O$	SOLID
368	$C_{24}H_{26}Cl_2N_2O$	SOLID
369	$C_{24}H_{26}Cl_2N_2O$	SOLID
370	$C_{23}H_{23}Cl_2FN_2O$	SOLID
371	$C_{27}H_{24}Cl_2N_2O$	SOLID
372	$C_{24}H_{27}Cl_2NO_2$	OIL
373	$C_{27}H_{31}Cl_2NO_2$	OIL
374	$C_{23}H_{24}ClNO_2$	SEMI-SOLID
375	$C_{24}H_{26}ClNO_2$	OIL
376	$C_{24}H_{25}Cl_2NO_2$	OIL
377	$C_{25}H_{27}Cl_2NO_2$	OIL
378	$C_{23}H_{23}Cl_2NO_2$	SOLID
379	$C_{24}H_{28}ClNO_2$	SOLID

Table 3

Insecticidal Activity of 1,4-Disubstituted Benzenes
Incorporated into the Diet (SRTD) of Tobacco Budworm

5

<u>Cmpd No.</u>	<u>Rate of Application¹</u>	<u>Percent Growth Inhibition²</u>	<u>Percent Mortality³</u>
8	4.6	11	---
10	4.6	35	---
20	5.6	12	---
21	5.6	20	---
47	4.6	23	---
49	4.6	16	---
66	4.6	9	---
68	5.6	16	---
72	5.6	23	---
73	5.6	24	---
	5.6	20	---
77	5.6	17	---
78	5.6	12	---
	5.6	0	---
79	6.6	-4	---
80	5.6	12	---
82	5.6	12	---
84	6.6	-20	---
	6.6	34	---
	5.6	11	---
85	6.6	20	---
	5.6	15	---
87	6.6	-2	---
88	5.6	1	---
89	5.6	12	---
93	6.6	3	---
94	4.6	18	---
99	6.6	6	---
100	6.6	6	---
101	6.6	14	---
102	6.6	7	---
103	5.6	25	---
104	5.6	21	---
105	4.6	24	---
106	6.6	35	---
107	6.6	17	---
111	5.6	1	---
112	5.6	26	---
113	5.6	-3	---
114	5.6	0	---
117	5.6	10	---

Table 3 (continued)

<u>Cmpd No.</u>	<u>Rate of Application¹</u>	<u>Percent Growth Inhibition²</u>	<u>Percent Mortality³</u>
118	4.6	6	---
121	4.6	12	---
122	5.6	23	---
123	5.6	30	---
124	5.6	20	---
125	5.6	18	---
126	6.6	14	---
130	6.6	17	---
131	6.6	25	---
132	5.6	27	---
133	4.6	28	---
134	4.6	12	---
135	5.6	24	---
136	4.6	33	---
137	4.6	28	---
138	4.6	27	---
139	4.6	26	---
140	5.6	32	---
141	6.6	24	---
142	6.6	32	---
143	4.6	22	---
144	4.6	20	---
145	5.6	29	---
146	5.6	25	---
147	5.6	33	---
148	5.6	4	---
149	5.6	22	---
150	5.6	12	---
151	5.6	5	---
152	4.6	16	---
153	4.6	19	---
154	6.6	27	---
161	5.6	23	---
163	5.6	24	---
166	5.6	24	---
181	6.6	43	---
183	6.6	28	---
	6.6	18	---
184	5.6	43	---
187	4.6	14	---
188	6.6	1	---
	6.6	19	---
	6.6	-1	---
190	5.6	4	---
191	6.6	6	---
192	6.6	2	---
193	6.6	4	---

100
Table 3 (continued)

<u>Cmpd No.</u>	<u>Rate of Application¹</u>	<u>Percent Growth Inhibition²</u>	<u>Percent Mortality³</u>
194	6.6	19	---
195	5.6	30	---
196	5.6	20	---
197	4.6	43	---
198	5.6	21	---
199	5.6	9	---
200	5.6	19	---
201	5.6	13	---
202	5.6	20	---
203	6.6	14	---
206	6.6	12	---
207	6.6	20	---
209	6.6	17	---
213	4.6	3	---
214	6.6	18	---
215	6.6	8	---
216	6.6	2	---
	6.6	1	---
	6.6	1	---
	6.6	14	---
217	6.6	26	---
	6.6	34	---
218	6.6	28	---
219	6.6	16	---
220	6.6	28	---
221	6.6	13	---
222	6.6	24	---
223	6.6	63	---
	7.6	3	---
	7.6	17	---
224	6.6	81	---
	6.6	20	---
	6.6	32	---
226	6.6	59	---
227	4.6	7	---
228	6.6	17	---
	6.6	5	---
	6.6	0	---
229	6.6	14	---
230	6.6	12	---
231	5.6	3	---
232	6.6	25	---
	6.6	1	---
233	6.6	17	---
234	5.6	-3	---
236	4.6	14	---
237	5.6	12	---

101
Table 3 (continued)

<u>Cmpd No.</u>	<u>Rate of Application¹</u>	<u>Percent Growth Inhibition²</u>	<u>Percent Mortality³</u>
238	6.6	22	---
239	5.6	5	---
241	5.6	8	---
242	6.6	11	---
243	6.6	10	---
262	4.6	7	---
263	5.6	26	---
264	6.6	19	---
267	4.6	7	---
273	5.6	5	---
290	5.6	1	---
306	4.6	-2	---
308	5.6	18	---
313	4.6	37	---
350	4.6	21	---
353	3.6	100	100
	4.6	100	67
	5.6	45	---
	6.6	21	---
354	3.6	100	100
	4.6	100	100
	5.6	96	17
	6.6	-2	---
355	3.6	100	100
	4.6	100	100
	5.6	96	17
	6.6	-2	---
356	3.6	2	---
	4.6	-4	---
357	3.6	100	100
	4.6	50	99
	5.6	---	15
360	3.6	73	---
	4.6	11	---
364	4.6	83	---
	5.6	-1	---
365	3.6	28	---
	4.6	18	---
366	3.6	82	---
	4.6	47	---
	5.6	3	---
367	3.6	100	100
	4.6	100	100
	5.6	98	33
	6.6	25	---
368	3.6	100	100
	4.6	100	100

102
Table 3 (continued)

<u>Cmpd No.</u>	<u>Rate of Application¹</u>	<u>Percent Growth Inhibition²</u>	<u>Percent Mortality³</u>
	5.6	102	50
	6.6	36	---
369	3.6	100	100
	4.6	100	100
	5.6	100	83
	6.6	28	---
372	3.6	100	100
	4.6	100	100
	5.6	100	100
	6.6	42	---
373	3.6	100	100
	4.6	97	17
	5.6	37	---
	6.6	-1	---
374	3.6	100	100
	4.6	98	50
	5.6	41	---
	6.6	-1	---
375	3.6	101	100
	4.6	85	17
	5.6	23	---
376	3.6	100	100
	4.6	100	100
	5.6	89	---
	6.6	22	---
377	3.6	100	100
	4.6	99	67
	5.6	59	---
	6.6	4	---
378	3.6	100	100
	4.6	100	100
	5.6	101	83
	6.6	48	---
379	3.6	86	33
	4.6	11	---

FOOTNOTES

¹ The rate of application is expressed as the negative log of the molar concentration of the test compound in the diet.


5 ² Percent growth inhibition is derived from the total weight of the insects (IW) at each rate of application in the test relative to the total weight of insects in an untreated control, % Gr. Inh. = [IW (control) - I (test)/IW (control)] x 100.

³ Percent mortality is derived from the number of dead insects (TD) relative to the total number of insects (TI) used in the test,

10 % Mortality = TD/TI x 100


WE CLAIM:

1. A compound of formula I:



wherein:

A is selected from the group consisting of hydrogen; aryl; alkylheterocyclyl; alkenylaminopolycyclyl; alkenylaminoheterocyclyl; alkylaminopolycyclyl; carbonylaminopolycyclyl; where the aryl, heterocyclyl and polycyclyl moieties are optionally substituted with one or more of the following: halogen, cyano, nitro, amino, carboxyl, alkyl, haloalkyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxycarbonyl, haloalkoxycarbonyl, or aryl; and Formula **III**, where Formula **III** is



wherein


n is 0 or 1;

U is selected from the group consisting of $-\text{CH}_2-$, $-\text{O}-\text{CH}_2-$, oxygen, sulfur, sulfonyl, alkyl, oxyalkyloxy, alkenylamino, cabonylamino and $-\text{NR}^5$, where R^5 is selected from the group consisting of hydrogen, hydroxy, alkyl, haloalkyl, sulfonylalkyl, cabonylamino, and carbonylalkyl;

R^2 is selected from aryl; alkylpolycyclyl; heterocyclyl; polycyclyl; where the aryl, heterocyclyl and polycyclyl moieties are optionally substituted with one or more of the following: halogen, cyano, nitro, amino, carboxyl, alkyl,

haloalkyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, or aryl; 1-R³; 1-R⁴; and 2-R⁴, wherein:


R³ is



R³

where J, L, and W are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, carboxyl, alkyl, haloalkyl, alkenyl, alkoxy, haloalkoxy, aminoalkoxy, nitrilyl, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, aryl, aryloxy, and heterocyclyl, where the aryl and heterocyclyl moieties may be optionally substituted with halogen, alkyl, haloalkyl, alkoxy, or haloalkoxy;

R⁴ is



R⁴

where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, phenyl, aryl, aryloxy, and heterocyclyl, where the phenyl, aryl, and heterocyclyl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

B and D are independently selected from hydrogen, halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxyaminoalkyl, 2-(Formula III), 3-(Formula III), 5-(Formula III), and 6-(Formula III), wherein Formula III, n, U, R², R³, R⁴, R⁵, J, L, W, X, Y, and Z are as defined above;

- 5 R is -T-(CH₂)_m-R¹, -N(R⁶)(R⁷) or heterocyclyl, where
the heterocyclyl moiety may be optionally substituted with halogen, hydroxy, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxycarbonyl, aryl, alkylaza, arylcarbonyl, benzyl, allyl, propargyl, alkylamino; where the aryl moiety may be optionally substituted with halogen, hydroxy, alkyl,
10 haloalkyl, alkoxy, haloalkoxy, alkoxycarbonyl, aryl, arylcarbonyl;
T is selected from the group consisting of -CH₂-, carbonyl, oxygen, nitrogen, and sulfur;

m is 0, 1, 2, 3, or 4;

- R¹ is selected from the group consisting of -N(R⁸)(R⁹); alkyl; aryl; -
15 C(O)N(R¹²)(R¹³); oxyalkyl; haloalkyl; heterocyclyl; cycloalkyl; -
N(O)(R¹⁴)(R¹⁵); -P(O)(R¹⁴)(R¹⁵); -P(S)(R¹⁴)(R¹⁵); alkylamino, where the aryl and heterocyclyl moieties may be optionally substituted with halogen, hydroxy, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxycarbonyl, aryl, arylcarbonyl; where

- 20 R⁶, R⁷, R⁸, R⁹, R¹², R¹³, R¹⁴ and R¹⁵ are independently selected from the group consisting of hydrogen, alkyl, alkoxy, alkylthio, acetyl, alkoxycarbonyl, alkoxyalkyl, aminoalkyl, carbonylamino, and -
(CH₂)_p-N(R¹⁶)(R¹⁷), where

p is 1 or 2;


- 25 R¹⁶ and R¹⁷ are independently selected from the group consisting of hydrogen, alkyl, alkoxy, alkoxyalkyl, and aminoalkyl;
and the corresponding agriculturally acceptable salts thereof.

2. A compound of claim 1 wherein

- A is selected from the group consisting of hydrogen; alkylaminopolycyclyl;
30 carbonylaminopolycyclyl; where the polycyclyl moieties are optionally substituted

with one or more of the following: halogen, cyano, nitro, amino, carboxyl, alkyl, haloalkyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxycarbonyl, haloalkoxycarbonyl, or aryl; and Formula **III**, where Formula **III** is

5




wherein

n is 0 or 1;

10 U is selected from the group consisting of $-\text{CH}_2-$, oxygen, and $-\text{NR}^5$, where R^5 is selected from the group consisting of hydrogen, hydroxy, alkyl, sulfonylalkyl, cabonylamino, and carbonylalkyl;

R^2 is selected from aryl, alkylpolycyclyl; heterocyclyl; polycyclyl; where the aryl, heterocyclyl and polycyclyl moieties are optionally substituted with
 15 one or more of the following: halogen, cyano, nitro, amino, carboxyl, alkyl, haloalkyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxycarbonyl, haloalkoxycarbonyl, or aryl; and $1-\text{R}^3$, wherein R^3 is:



20 where J, L, and W are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, carboxyl, alkyl, haloalkyl, alkenyl, alkoxy, haloalkoxy, nitrilyl, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxycarbonyl, haloalkoxycarbonyl, aryl, and aryloxy, where the aryl moieties may
 25 be optionally substituted with halogen, alkyl, haloalkyl, alkoxy, or haloalkoxy;

B and D are independently selected from hydrogen, halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxyaminoalkyl;

R is $-T-(CH_2)_m-R^1$, where

T is selected from the group consisting of $-CH_2-$, oxygen, nitrogen, and sulfur;

m is 1, 2, 3, or 4;


5 R^1 is $-N(R^8)(R^9)$; where

R^8 and R^9 are independently selected from the group consisting of hydrogen, alkyl, alkoxy, acetyl, alkoxycarbonyl, alkoxyalkyl, aminoalkyl, carbonylamino, and $-(CH_2)_p-N(R^{16})(R^{17})$, where p is 1 or 2;

10 R^{16} and R^{17} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, alkoxyalkyl, and aminoalkyl; and the corresponding agriculturally acceptable salts thereof.

3. A compound of claim 1 wherein

15 A is selected from the group consisting of hydrogen; alkylaminopolycyclyl; and carbonylaminopolycyclyl; where the polycyclyl moieties are optionally substituted with one or more of the following: halogen, cyano, nitro, amino, carboxyl, alkyl, haloalkyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxycarbonyl, haloalkoxycarbonyl, or aryl; and Formula III, where Formula III
20 is




III

wherein

25 n is 0 or 1;

U is selected from the group consisting of $-CH_2-$, oxygen, alkyl, oxyalkyloxy, alkenylamino, carbonylamino and $-NR^5$, where R^5 is selected from the group consisting of hydrogen, hydroxy, alkyl, sulfonylalkyl, carbonylamino, and carbonylalkyl;

R^2 is selected from aryl; alkylpolycyclyl; heterocyclyl; polycyclyl; where the aryl, heterocyclyl and polycyclyl moieties are optionally substituted with one or more of the following: halogen, cyano, nitro, amino, carboxyl, alkyl, haloalkyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, or aryl; and $1-R^4$, wherein R^4 is



where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, phenyl, aryl, and aryloxy, where the phenyl and aryl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

B and D are independently selected from hydrogen, halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, and alkoxyaminoalkyl;

R is $-T-(CH_2)_m-R^1$ or heterocyclyl, where

the heterocyclyl moiety may be optionally substituted with halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxy carbonyl, aryl, arylcarbonyl, benzyl, allyl, propargyl;

T is selected from the group consisting of $-CH_2-$, oxygen, nitrogen, and sulfur;

m is 1, 2, 3, or 4;

R^1 is selected from the group consisting of $-N(R^8)(R^9)$; alkyl; aryl; $-C(O)N(R^{12})(R^{13})$; oxyalkyl; haloalkyl; heterocyclyl; cycloalkyl; and $-N(O)(R^{14})(R^{15})$, where the aryl and heterocyclyl moieties may be optionally

substituted with halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxy carbonyl, aryl, aryl carbonyl; where

$R^8, R^9, R^{12}, R^{13}, R^{14}$ and R^{15} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, acetyl, alkoxy carbonyl, alkoxy alkyl, amino alkyl, carbonyl amino, and -

$(CH_2)_p-N(R^{16})(R^{17})$, where


p is 1 or 2;

R^{16} and R^{17} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, alkoxy alkyl, and amino alkyl;

and the corresponding agriculturally acceptable salts thereof.

4. A compound of claim 3 wherein

A is hydrogen or Formula III, where Formula III is



III


wherein

n is 0 or 1;

U is selected from the group consisting of $-CH_2-$, oxygen, and $-NR^5$, where R^5 is selected from the group consisting of hydrogen, hydroxy, alkyl,

sulfonyl alkyl, carbonyl amino, and carbonyl alkyl;

R^2 is selected from alkyl polycyclyl; heterocyclyl; polycyclyl; where the heterocyclyl and polycyclyl moieties are optionally substituted with one or more of the following: halogen, cyano, nitro, amino, carboxyl, alkyl, haloalkyl, alkoxy, haloalkoxy, carbonyl, alkyl carbonyl, haloalkyl carbonyl, alkoxy carbonyl, haloalkoxy carbonyl, or aryl; and $1-R^4$, wherein R^4 is



R^4

where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, phenyl, aryl, and aryloxy, where the phenyl and aryl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

B and D are independently selected from hydrogen, halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, and alkoxyaminoalkyl;

10 R is $-T-(CH_2)_m-R^1$ or heterocyclyl, where

the heterocyclyl moiety may be optionally substituted with halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxy carbonyl, aryl, aryl carbonyl, benzyl, allyl, propargyl;

T is selected from the group consisting of oxygen, nitrogen, and sulfur;

15 m is 1, 2, 3, or 4;

R^1 is selected from the group consisting of $-N(R^8)(R^9)$; alkyl; aryl; $-C(O)N(R^{12})(R^{13})$; oxyalkyl; haloalkyl; heterocyclyl; cycloalkyl; and $-N(O)(R^{14})(R^{15})$, where the aryl and heterocyclyl moieties may be optionally substituted with halogen, alkyl, haloalkyl, alkoxy, haloalkoxy,

20 alkoxy carbonyl, aryl, aryl carbonyl; where

R^8 , R^9 , R^{12} , R^{13} , R^{14} and R^{15} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, acetyl, alkoxy carbonyl, alkoxyalkyl, aminoalkyl, carbonylamino, and $-(CH_2)_p-N(R^{16})(R^{17})$, where


25 p is 1 or 2;

R^{16} and R^{17} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, alkoxyalkyl, and aminoalkyl;

and the corresponding agriculturally acceptable salts thereof.

30 5. A compound of claim 4 wherein

A is Formula III, where Formula III is



III

5 wherein


n is 1;

U is oxygen or $-\text{NR}^5$, where R^5 is selected from the group consisting of

hydrogen, hydroxy, alkyl, sulfonylalkyl, cabonylamino, and carbonylalkyl;

R^2 is 1- R^4 , wherein R^4 is

10



R^4

where X, Y, and Z are independently selected from the group

consisting of hydrogen, halogen, cyano, nitro, amino, azido,

15 carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl,

alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl,

alkoxycarbonyl, haloalkoxycarbonyl, phenyl, aryl, and aryloxy,

where the phenyl and aryl moieties may be optionally substituted

with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

20 B and D are independently selected from hydrogen, halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, and alkoxyaminoalkyl;

R is $-\text{T}-(\text{CH}_2)_m-\text{R}^1$ or heterocyclyl, where

the heterocyclyl moiety may be optionally substituted with halogen, alkyl,

haloalkyl, alkoxy, haloalkoxy, alkoxycarbonyl, aryl, arylcarbonyl, benzyl,

25 allyl, propargyl;

T is oxygen or nitrogen;

m is 1, 2, 3, or 4;

R^1 is selected from the group consisting of $-N(R^8)(R^9)$; alkyl; aryl; $-C(O)N(R^{12})(R^{13})$; oxyalkyl; haloalkyl; heterocyclyl; cycloalkyl; and $-N(O)(R^{14})(R^{15})$, where the aryl and heterocyclyl moieties may be optionally substituted with halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxy carbonyl, aryl, aryl carbonyl; where

$R^8, R^9, R^{12}, R^{13}, R^{14}$ and R^{15} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, acetyl, alkoxy carbonyl, alkoxy alkyl, amino alkyl, carbonyl amino, and $-(CH_2)_p-N(R^{16})(R^{17})$, where


p is 1 or 2;

R^{16} and R^{17} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, alkoxy alkyl, and amino alkyl;

and the corresponding agriculturally acceptable salts thereof.

6. A compound of claim 5 wherein

A is Formula III, where Formula III is




III

wherein

U is oxygen or $-NR^5$, where R^5 is hydrogen;

R^2 is $1-R^4$, wherein R^4 is



R^4

where X, Y , and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl,

alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, phenyl, aryl, and aryloxy, where the phenyl and aryl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

- 5 B and D are independently selected from hydrogen, halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, and alkoxyaminoalkyl;

R is $-T-(CH_2)_m-R^1$ or heterocyclyl; where

the heterocyclyl moiety may be optionally substituted with halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxy carbonyl, aryl, aryl carbonyl, benzyl, allyl, propargyl;

10

T is oxygen or nitrogen;

m is 2;

R^1 is $-N(R^8)(R^9)$ or $-N(O)(R^{14})(R^{15})$, where R^8 , R^9 , R^{14} , and R^{15} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, acetyl, alkoxy carbonyl, alkoxy alkyl, aminoalkyl, carbonylamino, and -

15

$(CH_2)_p-N(R^{16})(R^{17})$, where

p is 1 or 2;

R^{16} and R^{17} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, alkoxy alkyl, and aminoalkyl;


20

and the corresponding agriculturally acceptable salts thereof.

7. A compound of claim 6 wherein

A is Formula III, where Formula III is

25



III


wherein

U is O or $-NR^5$, where R^5 is hydrogen;

R^2 is selected from $1-R^4$, wherein R^4 is

30

114



where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, phenyl, aryl, and aryloxy, where the phenyl and aryl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

10 B and D are hydrogen;

R is $-T-(CH_2)_m-R^1$; where


T is oxygen;

R^1 is $-N(R^8)(R^9)$ or $-N(O)(R^{14})(R^{15})$, where R^8 , R^9 , R^{14} , and R^{15} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, acetyl, alkoxy carbonyl, alkoxy alkyl, amino alkyl, and carbonyl amino;

and the corresponding agriculturally acceptable salts thereof.

8. A compound of claim 6 wherein

A is Formula III, where Formula III is



III


wherein

U is O;

R^2 is selected from $1-R^4$, wherein R^4 is

25

115



where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxycarbonyl, haloalkoxycarbonyl, phenyl, aryl, and aryloxy, where the phenyl and aryl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

10 B and D are hydrogen;

R is heterocyclyl; where


the heterocyclcyl moiety may be optionally substituted with halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkoxycarbonyl, aryl, arylcarbonyl, benzyl, allyl, propargyl;

15 and the corresponding agriculturally acceptable salts thereof.

9. A composition containing an insecticidally effective amount of a compound of claim 1 in admixture with at least one agriculturally acceptable extender or adjuvant.

10. A method of controlling insects that comprises applying to locus
20 where control is desired an insecticidally effective amount of a composition of
claim 9.

11. A compound of formula XII:



wherein:

A is $-(CH_2)_n-U-R^2$

wherein


n is 0 or 1;

U is $-C(O)-$, $-CH_2-$, oxygen, or $-NR^5$, where R^5 is selected from the group

consisting of hydrogen, hydroxy, alkyl, sulfonylalkyl, carbonylamino, and carbonylalkyl;

R^2 is selected from hydrogen, halo, hydroxy, and $1-R^4$, wherein:

R^4 is



R^4

where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxy carbonyl, haloalkoxy carbonyl, phenyl, aryl, and aryloxy, where the phenyl and aryl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy;

R is $-T-(CH_2)_m-R^1$, where

T is selected from the group consisting of oxygen, nitrogen, and sulfur;

m is 0, 1, 2, 3, or 4;

R^1 is hydrogen, halo, alkyl, or $-N(R^8)(R^9)$; where R^8 and R^9 are


independently selected from the group consisting of hydrogen, alkyl, alkoxy, acetyl, alkoxy carbonyl, alkoxyalkyl, aminoalkyl, carbonylamino, and -

$(CH_2)_p-N(R^{16})(R^{17})$, where

p is 1 or 2;

R^{16} and R^{17} are independently selected from the group consisting of hydrogen, alkyl, alkoxy, alkoxyalkyl, and aminoalkyl.

12. A compound of formula UU:



UU

where X, Y, and Z are independently selected from the group consisting of hydrogen, halogen, cyano, nitro, amino, azido, carboxyl, alkyl, alkynyl, haloalkyl, haloalkylthio, nitrilyl, alkenyl, alkoxy, haloalkoxy, carbonyl, alkylcarbonyl, haloalkylcarbonyl, alkoxycarbonyl, haloalkoxycarbonyl, phenyl, aryl, and aryloxy, where the phenyl and aryl moieties may be optionally substituted with halogen, haloalkyl, haloalkyl, alkoxy, or haloalkoxy; T is selected from the group consisting of oxygen, nitrogen, and sulfur; and R^{18} is alkyl.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 March 2002 (07.03.2002)

PCT

(10) International Publication Number
WO 02/017712 A3

(51) International Patent Classification⁷: **C07C 217/58**,
A01N 33/04, 43/42, C07D 295/20, C07C 251/24, C07D
209/46, C07C 217/20, C07D 215/44, 215/38, 215/40,
215/22, 215/24, 217/22, 295/08, C07C 235/56, 211/59,
233/43, 271/28, 275/34, 275/40, 217/92

3292 Nottingham Way, Trenton, NJ 08019 (US). **COHEN, Daniel, H.**; 39 Vandeventer Avenue, Princeton, NJ 08542 (US).

(21) International Application Number: PCT/US01/26962

(22) International Filing Date: 29 August 2001 (29.08.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/229,701 1 September 2000 (01.09.2000) US
60/277,203 20 March 2001 (20.03.2001) US

(74) Agents: **SHEEHAN, John, M.** et al.; FMC Corporation, 1735 Market Street, Philadelphia, PA 19103 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— with international search report


(88) Date of publication of the international search report:
12 June 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(71) Applicant: **FMC CORPORATION** [US/US]; 1735 Market Street, Philadelphia, PA 19103 (US).

(72) Inventors: **THEODORIDIS, George**; 45 Monroe Lane, Princeton, NJ 08540 (US). **QI, Hongyan**; 30 Birch Drive, Plainsboro, NJ 08536 (US). **ROWLEY, Elizabeth**; 27 Pointer Place, Kendall Park, NJ 08824 (US). **ALI, Syed, F.**; 34 Amsterdam Road, Yardville, NJ 08620 (US). **CRAWFORD, Ellen, M.**; 7 Dominion Drive, Jackson, NJ 08527 (US). **CULLEN, Thomas, G.**; 7 Shepley Street, Andover, Essex County, MA 01810-1308 (US). **YEAGER, Walter, H.**; 274 Hickory Road, Yardley, PA 19067 (US). **DUGGAN, Christina, B.**; 8016 Tamarron Drive, Plainsboro, NJ 08536 (US). **BARRON, Edward**;

(54) Title: DISUBSTITUTED BENZENES AS INSECTICIDES



(I)

(57) Abstract: Compounds of formula (I): wherein A, B, D, and R are as defined herein and their agriculturally acceptable salts are disclosed as effective insecticides. In addition, compositions comprising an insecticidally effective amount of a compound of Formula (I) in admixture with at least one agriculturally acceptable extender or adjuvant and methods of controlling insects comprising applying said compositions to locus on crops where control is desired are disclosed. It is emphasized that this abstract is provided to comply with the rules requiring an abstract that will allow a searcher or other reader to quickly ascertain the subject matter of the technical disclosure. It is submitted with the understanding that it will not be used to interpret or limit the scope or meaning of the claims (see 37 C.F.R. 1.72(b)).



WO 02/017712 A3

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 01/26962

A. CLASSIFICATION OF SUBJECT MATTER					
IPC 7	C07C217/58	A01N33/04	A01N43/42	C07D295/20	C07C251/24
	C07D209/46	C07C217/20	C07D215/44	C07D215/38	C07D215/40
	C07D215/22	C07D215/24	C07D217/22	C07D295/08	C07C235/56
According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIELDS SEARCHED					
Minimum documentation searched (classification system followed by classification symbols)					
IPC 7	C07C	C07D	A01N		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched					
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)					
EPO-Internal, WPI Data, PAJ, BEILSTEIN Data, CHEM ABS Data					
C. DOCUMENTS CONSIDERED TO BE RELEVANT					
Category *	Citation of document, with indication, where appropriate, of the relevant passages				Relevant to claim No.
X	US 4 183 949 A (BRANDES WILHELM ET AL) 15 January 1980 (1980-01-15) column 1, line 1 -column 3, line 66 example 32				1-10
A	EP 0 331 529 A (UBE INDUSTRIES ;RIKAGAKU KENKYUSHO (JP)) 6 September 1989 (1989-09-06) page 3, line 1 - line 30 tables 1A,,1B claim 1				1-10
A	US 4 145 439 A (KRAUS PETER ET AL) 20 March 1979 (1979-03-20) column 1, line 1 -column 2, line 60 table 1 examples 6-8,10,12 table 2				1-10
-/--					
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.					
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family					
Date of the actual completion of the international search			Date of mailing of the international search report		
13 January 2003			04. 02. 2003		
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016			Authorized officer O'Sullivan, P		

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 01/26962

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07C211/59 C07C233/43 C07C271/28 C07C275/34 C07C275/40
C07C217/92

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 3 987 102 A (KARRER FRIEDRICH) 19 October 1976 (1976-10-19) column 5, line 17 - line 37 table 1	1-10
A	US 5 569 664 A (LYGA JOHN W ET AL) 29 October 1996 (1996-10-29) table 1	1-10



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

13 January 2003

Date of mailing of the international search report

04. 02. 2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

O'Sullivan, P

INTERNATIONAL SEARCH REPORT

International Application No

PCI/US 01/26962

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 3325434 XP002213708 abstract & CROSSLEY ET AL: JOURNAL OF THE AMERICAN CHEMICAL SOCIETY., vol. 74, 1952, pages 573-577, AMERICAN CHEMICAL SOCIETY, WASHINGTON, DC., US ISSN: 0002-7863</p> <p>---</p>	11
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 2520198 XP002226603 abstract & ROHMANN, C ET AL: ARCHIV DER PHARMAZIE UND BERICHTE DER DEUTSCHEN PHARMAZEUTISCHEN GESELLSCHAFT., vol. 294, no. 9, 1961, pages 538-549, VERLAG CHEMIE, WEINHEIM., DE ISSN: 0376-0367</p> <p>---</p>	11
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 2527029 XP002226604 abstract & ROHMANN, C ET AL: ARCHIV DER PHARMAZIE UND BERICHTE DER DEUTSCHEN PHARMAZEUTISCHEN GESELLSCHAFT., vol. 294, no. 9, 1961, pages 538-549, VERLAG CHEMIE, WEINHEIM., DE ISSN: 0376-0367</p> <p>---</p>	11
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 2558639 XP002226605 abstract & COSSEY, H D ET AL: JOURNAL OF THE CHEMICAL SOCIETY., 1965, pages 954-973, CHEMICAL SOCIETY, LONDON, GB ISSN: 0368-1769</p> <p>---</p> <p>--- -/--</p>	11

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/26962

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 2944661 XP002226606 abstract & ALBRIGHT, J D ET AL: JOURNAL OF MEDICINAL CHEMISTRY., vol. 26, no. 10, 1983, pages 1393-1411, AMERICAN CHEMICAL SOCIETY., US ISSN: 0022-2623</p>	11
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 6718497 XP002226607 abstract & BELLUCCI, C ET AL: FARMACO., vol. 44, no. 12, 1989, pages 1167-1192, SOCIETA CHIMICA ITALIANA, PAVIA., IT ISSN: 0014-827X</p>	11
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 2103329 XP002226608 abstract & COLLINS ET AL: JOURNAL OF PHARMACY AND PHARMACOLOGY, vol. 14, 1962, pages T48-T56, LONDON, GB ISSN: 0022-3573</p>	11
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 2831482 XP002226609 abstract & FREUNDENREICH, C ET AL: JOURNAL OF THE AMERICAN CHEMICAL SOCIETY., vol. 106, no. 11, 1984, pages 3344-3353, AMERICAN CHEMICAL SOCIETY, WASHINGTON, DC., US ISSN: 0002-7863</p>	11

-/--

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/26962

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 3325434 XP002226610 abstract & CROSSLEY ET AL: JOURNAL OF THE AMERICAN CHEMICAL SOCIETY., vol. 74, 1952, pages 573-577, AMERICAN CHEMICAL SOCIETY, WASHINGTON, DC., US ISSN: 0002-7863</p> <p>---</p>	11
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 5433887 XP002226611 abstract & HILBORN, J W ET AL: CANADIAN JOURNAL OF CHEMISTRY., vol. 70, no. 3, 1992, pages 992-999, NATIONAL RESEARCH COUNCIL. OTTAWA., CA ISSN: 0008-4042</p> <p>---</p>	11
X	<p>DE 234 795 C (ACTIEN-GESELLSCHAFT FÜR ANILIN-FABRIKATION) 20 May 1911 (1911-05-20) page 1, column 2, line 61 page 2, column 1, line 32 page 2, column 2, line 48</p> <p>---</p>	11
X	<p>DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 2452671 XP002213707 abstract & LEZNOFF, C C ET AL: CANADIAN JOURNAL OF CHEMISTRY., vol. 50, 1972, pages 528-533, NATIONAL RESEARCH COUNCIL. OTTAWA., CA ISSN: 0008-4042</p> <p>---</p> <p style="text-align: center;">-/--</p>	12

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/26962

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 2619465 XP002226612 abstract & SIEGRIST, A E ET AL: HELVETICA CHIMICA ACTA., vol. 52, 1969, pages 2521-2554, VERLAG HELVETICA CHIMICA ACTA. BASEL., CH ISSN: 0018-019X -----	12
X	DATABASE CROSSFIRE BEILSTEIN 'Online! Beilstein Institut zur Förderung der Chemischen Wissenschaften, Frankfurt am Main, DE; Database accession no. 4442848 XP002226613 abstract & AMIN, S ET AL: JOURNAL OF ORGANIC CHEMISTRY., vol. 46, no. 11, 1986, pages 2394-2398, AMERICAN CHEMICAL SOCIETY, WASHINGTON, DC., US ISSN: 0022-3263 -----	12
X	US 4 016 195 A (PINTSCHOVIVUS ULRICH ET AL) 5 April 1977 (1977-04-05) column 17; example 111; table -----	12
A	DE 40 10 325 A (CIBA GEIGY AG) 4 October 1990 (1990-10-04) page 2, line 1 - line 54 -----	1-10
X	US 4 859 706 A (BUERSTINGHAUS RAINER ET AL) 22 August 1989 (1989-08-22) column 3, line 25 - line 44 example 1 -----	1-10
X	US 4 837 217 A (OGURA TOMOYUKI ET AL) 6 June 1989 (1989-06-06) column 1, line 9 - line 15 table 1 -----	1-10

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 01/26962

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☒ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☒ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Present claims 1-12 relate to an extremely large number of possible compounds. Support within the meaning of Article 6 PCT and disclosure within the meaning of Article 5 PCT is to be found, however, for only a very small proportion of the compounds claimed. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely the subject-matter of claim 5 with the following adjustments:

U is O, NR5, CH2

R is -T-(CH2)m-R1, heterocycle or N(R6)(R7)

R2 is 1-R4 as in claim 5 (naphth), or R2 = other rings, restricted only to those of the examples.

Additionally the compound falling under the scope of the above restriction have been selected only insofar as they mention a corresponding use as an Insecticide.

The intermediate compounds of claims 11 and 12 are searched insofar as they lead to final products within the scope of the abovementioned restriction.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1-10 partially

Compounds of the incomplete search restriction where R=
-T-(CH₂)_m-R₁

2. Claims: 1-10 partially

Compounds of the incomplete restriction where R = N(R₆)(R₇)

3. Claims: 1-10 partially

Compounds of the incomplete restriction where R = heterocycle

4. Claims: 1-10 partially

The examples where R₂ of claim 5 is not a naphthalene or substituted naphthalene ring.

5. Claim : 11

Intermediates of claim 11 according to the incomplete restriction

6. Claim : 12

Intermediates of claim 12 according to the incomplete restriction

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/26962

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4183949	A	15-01-1980	DE 2708440 A1	31-08-1978
			AT 359776 B	25-11-1980
			AT 134378 A	15-04-1980
			BE 864301 A1	24-08-1978
			BR 7801138 A	31-10-1978
			CS 200158 B2	29-08-1980
			DD 135344 A5	02-05-1979
			DK 86578 A	27-08-1978
			EG 13132 A	31-12-1980
			FR 2381741 A1	22-09-1978
			GB 1566237 A	30-04-1980
			JP 53105469 A	13-09-1978
			NL 7802104 A	29-08-1978
			PL 204926 A1	02-07-1979
			PT 67688 A , B	01-03-1978
			SE 7802114 A	27-08-1978
			SU 665772 A3	30-05-1979
			TR 20055 A	01-07-1980
			US 4293566 A	06-10-1981
			ZA 7801094 A	31-01-1979
EP 0331529	A	06-09-1989	EP 0331529 A2	06-09-1989
			JP 2196774 A	03-08-1990
US 4145439	A	20-03-1979	DE 2631948 A1	19-01-1978
			AT 357820 B	11-08-1980
			AT 504277 A	15-12-1979
			AU 524159 B2	02-09-1982
			AU 2700777 A	18-01-1979
			BE 856812 A1	16-01-1978
			BR 7704656 A	16-05-1978
			CA 1110257 A1	06-10-1981
			CH 634967 A5	15-03-1983
			CS 197296 B2	30-04-1980
			DD 134185 A5	14-02-1979
			DK 319777 A	16-01-1978
			EG 12867 A	31-12-1981
			FR 2358104 A1	10-02-1978
			GB 1582022 A	31-12-1980
			IL 52515 A	31-07-1981
			JP 53012423 A	03-02-1978
			NL 7707826 A	17-01-1978
			PL 199604 A1	28-03-1978
			PT 66802 A , B	01-08-1977
US 3987102	A	19-10-1976	SE 7708182 A	16-01-1978
			TR 19389 A	20-02-1979
			US 4220663 A	02-09-1980
			ZA 7704235 A	28-06-1978
			CH 599752 A5	31-05-1978
			CH 585515 A5	15-03-1977
			AT 332680 B	11-10-1976
			AT 316274 A	15-01-1976
			AU 6803874 A	20-11-1975
			BE 813831 A1	17-10-1974
			CA 1046071 A1	09-01-1979
			DD 112209 A5	05-04-1975
			DE 2418295 A1	07-11-1974

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/26962

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 3987102	A		FR 2228047 A1	29-11-1974
			GB 1466934 A	09-03-1977
			HK 82079 A	07-12-1979
			IL 44630 A	31-10-1977
			IT 1053758 B	10-10-1981
			JP 1324691 C	27-06-1986
			JP 50018628 A	27-02-1975
			JP 60041041 B	13-09-1985
			MY 20080 A	31-12-1980
			NL 7405124 A	22-10-1974
			SU 686594 A3	15-09-1979
			US 4094989 A	13-06-1978
			US 4153731 A	08-05-1979
			ZA 7402454 A	30-04-1975
US 5569664	A	29-10-1996	US 5639763 A	17-06-1997
			US 6017931 A	25-01-2000
			US 6214845 B1	10-04-2001
			US 6184234 B1	06-02-2001
DE 234795	C		NONE	
US 4016195	A	05-04-1977	DE 2060228 A1	15-06-1972
			US 3957846 A	18-05-1976
			BE 776415 A1	08-06-1972
			CA 982128 A1	20-01-1976
			CH 579665 B5	15-09-1976
			CH 1763771 A	15-03-1976
			DD 97904 A5	20-05-1973
			FR 2117470 A5	21-07-1972
			GB 1379051 A	02-01-1975
			IT 943766 B	10-04-1973
			NL 7116652 A	12-06-1972
			US 3822305 A	02-07-1974
DE 4010325	A	04-10-1990	DE 4010325 A1	04-10-1990
US 4859706	A	22-08-1989	DE 3628082 A1	03-03-1988
			AT 62473 T	15-04-1991
			BR 8704226 A	12-04-1988
			CA 1292245 A1	19-11-1991
			DE 3769248 D1	16-05-1991
			EP 0258733 A2	09-03-1988
			IL 83416 A	15-01-1992
			JP 2063287 C	24-06-1996
			JP 7094415 B	11-10-1995
			JP 63051365 A	04-03-1988
			ZA 8706094 A	26-04-1989
US 4837217	A	06-06-1989	JP 62207262 A	11-09-1987
			JP 61243078 A	29-10-1986
			AU 585972 B2	29-06-1989
			AU 5636586 A	23-10-1986
			BG 50939 A3	15-12-1992
			BG 50711 A3	15-10-1992
			BR 8601764 A	23-12-1986
			CA 1278574 A1	02-01-1991
			CN 86102700 A	17-12-1986

INTERNATIONAL SEARCH REPORT
 information on patent family members

International Application No
 PCT/US 01/26962

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4837217	A	DE 3680137 D1	14-08-1991
		EP 0199281 A2	29-10-1986
		ES 8800207 A1	01-01-1988
		HU 41223 A2	28-04-1987
		IN 164861 A1	24-06-1989
		NZ 215872 A	28-10-1988
		TR 22532 A	12-10-1987
		YU 60286 A1	31-12-1987
		DD 261736 A5	09-11-1988
		ZA 8602936 A	30-12-1986
